



air seeder components high pressure blowers

Custom made to suit any application



Smallaire
AIR MOVEMENT SPECIALISTS

EST. 1974

making your life a breeze

computer programmed air systems

Take all the guesswork out of designing a complete air seeder system.

The computer program will tell you the correct sizes of hoses, primary and secondary heads and it also selects the correct fan and venturi or pressurised box system.

Features:

- Numerous combinations of inlets and outlets
- Ability to custom build to your requirements
- Primary and secondary heads available in 16, 25, 32, 38, 45, 51, 63 & 75mm
- Removable rubber cap
- 12 month warranty
- High quality seeder hose available
- Components are formed from durable 1.6mm mild steel
- Smooth design for optimum performance and efficiency
- Available in kit form to reduce freight costs and storage
- At least more than double the life on plastic type components
- Flexibility of colour coding to match your equipment
- * Specifications may vary without notice.



Primary Head



Secondary Head



Small Seed Secondary Head



Down Discharge Secondary Head



Stainless Steel Secondary Head



Mixer Elbow with Riser Pipe



Primary Venturi



Air Seeder Boot



Double Inlet Pressure Relief Vent



Single Inlet Pressure Vent



Splitter with Adjustable Vane



Splitter with Adjustable Vane



4 Way Couple Connector



Stainless Steel Secondary Head with Riser



Pressure Relief Vent

distribution cone

Benefits:

- Improves overall accuracy
- Reduces fan resistance
- Eliminates grain cracking and head bounce
- Unique inverted cone allows a more efficient air flow resulting in less back pressure
- Improves accuracy in undulating country by distributing grain and fertiliser more evenly in the head chamber

Features:

- Constructed from extremely durable 75 Duro EPDM Rubber
- Easy to install
- Cost effective



32mm Rubber Bung.
Used to blank off outlets



Distribution Cone

** All Smalraire Secondary heads come standard with a flat cap.
Can be upgraded to the distribution cone.

custom made to suit any application

High pressure blowers are ideal for air fronts, chaff spreading and keeping engine compartments and moving machinery free from inflammable particles.

Features:

- Strong pressed steel casing
- Offering computerised balancing service
- World renown and rated for being high performance, extremely quiet and efficient
- Easily mounted
- Mesh guarded inlet
- Bolt-on flange outlet
- Magnetic rev pick-up bracket
- Durable powdercoated finish (galvanised option available on request)
- Choice of hydraulic, belt or engine drives, in petrol or diesel
- 12 month warranty
- Lightweight
- Modular unique body design to adapt to any application
- Specifications may vary without notice.

oil coolers to suit any air seeder

Our oil cooler design is highly efficient which utilises the heat from your tractors hydraulics and at the same time providing warm air to your air seeder's blower to prevent moisture plugging.



19 Series 3" Outlet



19 Series Straight Blade



22 Series Turbo



15 Series Straight Blade



Twin Blower Manifold



8 Outlet Blower Manifold



24 Series Hydraulic Drive



9 Outlet Blower Manifold



25 Series versus 15 Series Hydraulic Drive



"Our Blower Manifolds are proven to be one of the most efficient and accurate. Our in-house design, development and manufacturing enables us to deliver a faster service to our customers."

retractable telescopic riser



The Smalldre head and retractable telescopic riser fully collapsed, ready for the machine to fold with ease.

Smalldre head and retractable telescopic riser at full extension. Fully extended, it gives the secondary hoses a gradient fall that allows for gravity to assist with getting the seed to the openers

Features:

- Multiple fitting (retro)
- Constructed from 304 Stainless Steel
- Super Gal RHS
- Minimum maintenance
- Easy Setup

The patented Smalldre Telescopic riser was developed and designed to be a multi fit application for a large range of airseeder machines which have a very compact fold design.

The Telescopic Risers 12 voly design can be extended at a flick of a switch all from the drivers seat. The main body constructed from premium quality 304 stainless steel with super gal construction, its built to last.

When extended, the riser is at a height of 1 metre, giving the system more gradient fall which could mean less blockages, and less downtime



The Smalldre retractable telescopic risers are capable of rising up to 1 metre high and lowering down to 600mm in total height



air seeder components
high pressure blowers
making your life a breeze



170 golf course road (po box 851) horsham victoria australia 3400

phone +613 5382 5688 fax +613 53 82 5465

email info@smalldre.com.au web www.smalldre.com.au