



AGRICULTURE

AIRSEEDER COMPONENT PRODUCT CATALOGUE VI



a state of the sails sain . The same

INDEX

QUALITY POLICY	
NOTES	
INTRODUCTION	
BLOWERS & MANIFOLDS	
CAPS	
PRIMARY HEADS	
HEAVY DUTY RISERS	
SPLITTERS	
QUICK COUPLERS	
RISERS & RISER BRACKETS	
SECONDARY HEADS	

PRESSURE RELIEF VENTS

SEEDING BOOTS

NOTES

No Claims, representations or warranties, whether express or implied, are made by Smallaire Pty Ltd as to the safety reliability, durability and performance of any of our companies' products. Furthermore.

Smallaire Pty Ltd accepts no liability whatsoever for the safety, reliability, durability and performance of any of our companies' products nor the effect of the misuse or misrepresentation of our companies products'.

"Warnings & Installation Labels are provided to assist in the installation process. For Hydraulic Blower installations, consult your Hydraulic Technician for hose sizes and oil supply capacities. "Smallaire Pty Ltd accepts no liability in the circumstance that products have been incorrectly fitted".

Customers Please Note: Prices may vary, please confirm with Smallaire prior to ordering.



. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

. . . .

Smallaire the family-owned and operated business began in 1974 and it's current direction was in response to the long hot Wimmera summers.

As Gary says ... "I didn't like the heat and I thought I'd build a couple of coolers for myself. That worked pretty well. A few friends then bought them and it snowballed after that."

The business is built around the needs of each individual client. What began as a local business now caters for Australia wide and overseas including Russia, the United States, Canada, New Zealand, South Africa and more.



QUALITY POLICY

Smallaire Pty Ltd was founded on and is still based on innovation and quality, whether designing new innovations in air seeding components, fans, blowers and air conditioning systems, or providing custom manufactured airflow products for our global customer base, we strive to impart our philosophy of providing the best value and quality in all areas of our business.

At Smallaire quality stands for innovative and reliable products that precisely meet the customer's requirements and will continue to perform consistently for years to come. We are aware that our customer needs are paramount. Consequently, we will - in all parts of the organisation – strive to achieve continual improvement in all that we do.

As such, it is Smallaire's goal that our customers will recognise us as the supplier who, at all times, best meets their needs and consistently provides high quality and leading edge products and services.

Quality improvements are the responsibility of all our employees. The planning and implementation of improvements to our products and processes is the responsibility of all Smallaire management and staff.

To aid with this we are committed to providing our employees with the right tools and support required to achieve the outcomes expected.

To assist in achieving our quality vision we establish and regularly review measurable objectives, and operate in accordance with a documented quality management system conforming to the requirements of ISO9001.

LOLITA SMALL

Director Smallaire P/L

HOSE PVC PUMPFLEX SUCTION-GREY

PART NUMBER	ID"	мм	ODMM	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD
ASOPGSH025	1	25	32	20	
ASOPGSH032	1 1/4	32	39	20	
ASOPGSH038	1 1/2	38	46	20	
ASOPGSH050	2	50	59	20	
ASOPGSH063	2 1/2	63	73	20	
ASOPGSH075	3	76	86	20	
ASOPGSH100	4	101	116	20	
ASOPGSH125	5	127	141	20	
ASOPGSH150	6	152	170	20	



101mm PVC Pumpflex Suction Hose



32mm PVC Air Seeder Hose

					HOSE pvc
PART NUMBER	ID"	MM	ODMM	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD
ASOPPVC025	1	25	30	20	
ASOPPVC032	1 1/4	32	38	20	
ASOPPVC038	1 1/2	38	44	20	
ASOPPVC045	1 3/4	45	52	20	
ASOPPVC051	2	51	58	20	
SOPPVC063	2 1/2	63	71	20	
ASOPPVC076	3	76	86	20	

HOSE

SPIRAFLEX-AIR SEEDER HOSE

PART NUMBER	ID"	ММ	ODMM	COIL SIZE RRP PER UNIT METRES (EX. GST) AUD
ASOPSDH025	1	25	33	20
ASOPSDH032	1 1/4	32	40.2	20
ASOPSDH038	1 1/2	38	46	20
ASOPSDH045	1 3/4	45	53	20
ASOPSDH050	2	50	59	20
ASOPSDH063	2 1/2	63	76	20
ASOPSDH075	3	76	86	20

TPR RUBBER DUCT HOSE

PART NUMBER	ID"	ММ	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD	
ASOPNIBLACK125	5	125			
ASOPNIBLACK150	6	150			




38mm Spiraflex Air-Seeder Hose



125mm TPR Rubber Duct Hose

HOSE



PART NUMBER	ID"	MM	ODMM	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD
ASOPLDPE16	5/8	16	21	30	
ASOPLDPE25	1	25	33	30	
ASOPLDPE32	1 1/4	32	37	30	

TIGER TAIL

PART NUMBER	ID"	MM	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD
ASOPTIGER102	4	102	20	
ASOPTIGER125	5	125	20	
ASOPTIGER150	6	150	20	



25mm LDPE-Tubing Hose



150mm Tiger Tail Air Seeder Hose

HOSE

NI BLACK

PART NUMBER	ID"	мм	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD
ASOPNIBLACK125	5	125		
ASOPNIBLACK150	6	150		

UVAC HOSE

A REAL PROPERTY OF A REAT	A CONTRACTOR OF				
PART NUMBER	ID"	MM	COIL SIZE METRES	RRP PER UNIT (EX. GST) AUD	
ASOPUVACIOO	4	102	20		
ASOPUVAC127	5	127	20		
ASOPUVAC152	6	152	20		



150mm NI Black Hose



19 Series Straight Blade



15 Series Straight Blade



8 Outlet Blower Manifold

BLOWERS & MANIFOLDS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASIISBL75MM	75mm 11 Series Blower	
AS15SBL150MM	15 Series Blower Straight Blade 150mm	
AS7519STRBL	75mm 19 Series Blower Straight Blade Blower Only	
AS7519STR4HP	75mm 19 Series Straight Blade 4HP Petrol Yamaha Blower	
AS7519STR6HP	75mm 19 Series Straight Blade 6HP Petrol Yamaha Blower	
AS150B19SBL	150mm Belt Drive 19 Series Straight Blade Blower	
AS19S9HPDBE	19 Series 9HP Diesel Belt Drive	
AS19SBL150MM	19 Series Blower Straight Blade 150mm	
ASI9STBHO	19 Series Turbo Blower–High Output	

BLOWERS



Horwood Bagshaw 22 Turbo Blower Mounted On Horwood Bagshaw Air Cart



19 Series Turbo Blower's

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
AS150M22STUR	150mm 22 Series Turbo Belt Drive	
AS22STURBL	22 Series Turbo Blower ONLY	
AS24SWABLBL	24 Series Wave Blade Blower	
AS25STURBL	25 Series Turbo Blower	



19 Series 3" Outlet



22 Series Turbo



Twin Blower Manifold







BLOWER COMPONENTS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASI5SMOTPL	15 Series Motor Plate	
AS15SVENTU	15 Series Vent plate	
AS15SCAS	15 Series Casing	
AS19SIMCUR	19 Series Impellor-Curved Standard	
ASI9SMOTPL	19 Series Motor Plate	
ASI9SCAS	19 Series Casing	
AS19SVENTU	19 Series Venturi	
ASI9SIMSTRBL	19 Series Impellor Straight Blade	

BLOWER COMPONENTS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
AS22STUIMHP	22 Series Turbo Impellor-High Pressure	
AS22SMOPL	22 Series Motor Plate	
AS22SCAS	22 Series Casing	
AS22SVESTUR	22 Series Venturi STD/Turbo (Side Cover)	
AS22SSTRHP	22 Series Straight Blade Impellor—High Pressure	
AS25STURIM	25 Series Turbo Impellor	
AS25SMOTPL	25 Series Motor Plate	
AS25SCASING	25 Series Casing	
AS25SVTSCO	25 Series Venturi Turbo Side Cover	
ASBLSTRWLEGE	Blower Straw Filter Large	
ASBLADPTGV	Blower Adaptor Gate Valve (6" x 2 -5" Splitter With Gate Valve)	
AS6X5ADAP	6" to 5" Adaptor	





22 Series Turbo Motor Plate



22 Series Turbo Casing



22 Series Turbo Impellor - High Pressure



RPM Magnet



Taper Lock

BLOWER COMPONENTS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASINLETGUA	Inlet Guard	
ASASSCOONBL	Assembly Cost On Blower	
ASTAPELO	Taper Lock	
ASMISTBLTR	Mister Blower Trumpet	
ASBLRPMSEN	Blower RPM Sensor Bolt	
ASFMD300R	FMD300R Blower RPM Monitor	
ASSHE200RPM	SHE200S Sensor RPM	
ASOP3330RPM	OP3330 RPM Magnet	
ASWHR3173	WHR 3173 Wiring Harness 7m	
ASTESTFAN	Test-Smallaire Fan	
ASBLSTRWSML	Blower Straw Filter Small	
ASBLADPL	Hydraulic Motor Adaptor Plate	

MANIFOLDS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASXBOM2T9	Blower Outlet Manifold 2-9 Outlet 2"-3"-5"	
ASXBOM10T16	Blower Outlet Manifold 10-16 Outlet 2"-3" Connecto)r
ASTAPELO	Taper Lock	
ASMISTBLTR	Mister Blower Trumpet	
ASBLRPMSEN	Blower RPM Sensor Bolt	
ASFMD300R	FMD300R Blower RPM Monitor	
ASSHE200RPM	SHE200S Sensor RPM	
ASOP3330RPM	OP3330 RPM Magnet	
ASWHR3173	WHR 3173 Wiring Harness 7m	
ASTESTFAN	Test-Smallaire Fan	
ASBLSTRWSML	Blower Straw Filter Small	
ASBLADPL	Hydraulic Motor Adaptor Plate	



8 Outlet Blower Manifold



Twin Blower Manifold



12 Outlet Blower Manifold



Oil Cooler–John Deere Oil Cooler front view



Oil Cooler- John Deere Oil Cooler - Rear



Oil Cooler–Universal Kit Complete 250mm

OIL COOLERS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASOPECP109	OPECP109 700mmx400mm-Oil Cooler	
ASMESHCOIL	Mesh Cover Oil Cover-Oil Cooler Mesh Cover	
ASSHROUDOIL	Shroud Oil Cooler J/D–Oil Cooler Shroud John Deere With Bracket	
ASOPB8CPA215	OPB-8CPA2-150-Oil Cooler Over Pressure Valve	
ASOPP8CP4K12	OPP-8CP4-K12GR-Oil Cooler Cover Pressure Valve	
ASOILCJNDERE	Oil Cooler–John Deere Oil Cooler Complete Assembly	
ASOILCUNI	Oil Cooler–Universal Kit Complete 250mm	
ASOILCUNIS	Oil Cooler–Universal Kit Complete 150mm	
ASOILCSHR	Oil Cooler Shroud	
ASOPHKSCJDF	OPHK-SCJDF Hose Kit To Suit John Deere Smallaire) Ring Face	
420рнкзсідіі	OPHK-SCJDJIC Hose Kit Smallaire Cooler John Deere	
ASOPKITOCRS	"OPKIT-OCRSMALLAIRE OIL COOLER RELIEF KIT. Includes: Relief. Valve assembly, Fittings For Relief, Green Cap For Outlet Of Relief, Pressure Gauge, Pressure Gauge Fitting."	
ASOIL15FM	Face Mount Oil Cooler 15s	
ASOIL19FM	Face Mount Oil Cooler 19s	
ASOIL22FM	Face Mount Oil Cooler 22s	

CAPS



PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHSOPSMALI	Flat rubber secondary head cap	
ASHSOPSMAL2	Tapered rubber secondary head cap	
ASHSOPSMAL5	32mm secondary head bung	
ASHSSMAL10	Small Seed head tapered rubber cap	
ASHPSMAL12	Small tapered primary head rubber cap	
ASHPSMAL13	Large tapered primary head rubber cap	



Large Primary Head Tapered Rubber Cap



Secondary Head Flat Rubber Cap Inside Secondary Head



Secondary Head Tapered Rubber Cap



Secondary Head Tapered Rubber Cap Inside Secondary Head

FINISHING OPTIONS











Splitter

PRIMARY HEADS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHP40X50MM	4 Outlet Primary head 50mm outlet. Powder coated steel. Flat cap.	
ASHP50X50MM	5 Outlet Primary head 50mm outlet. Powder coated steel. Flat cap.	
ASHP60X50MM	6 Outlet Primary head 50mm outlet. Powder coated steel. Flat cap.	
ASHP70X50MM	7 Outlet Primary head 50mm outlet. Powder coated steel. Flat cap.	
ASHP80X50MM	8 Outlet Primary head 50mm outlet. Powder coated steel. Flat cap.	
ASHP100X50MM	10 Outlet Primary head 50mm outlet. Powder coated steel. Flat cap.	
ASHP40X63MM	4 Outlet Primary head 63mm outlet. Powder coated steel. Flat	



4 Outlet Primary head Powder coated steel



10 Outlet Primary head Powder coated steel





PRIMARY HEADS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHP50X63MM	5 Outlet Primary head 63mm outlet. Powder coated steel. Flat cap.	
ASHP60X63MM	6 Outlet Primary head 63mm outlet. Powder coated steel. Flat cap.	
ASHP70X63MM	7 Outlet Primary head 63mm outlet. Powder coated steel. Flat cap.	
ASHP80X63MM	8 Outlet Primary head 63mm outlet. Powder coated steel. Flat cap.	
ASHP100X63MM	10 Outlet Primary head 63mm outlet. Powder coated steel. Flat cap.	
АЅНРНСАР	Primary Head Cap Assembly (Cap/ Rubber/Bridge)	
ASHPHAND	Hand Wheel Primary Head	
ASHPRUBBER	Rubber Primary Head/Small/Large	
ASHPSTECAP	Primary Steel Cap Large	
ASHPSMAL12	Small Primary Head Cap Tapered	
ASHPSMAL13	Large Primary Head Cap Tapered	

PRIMARY HEADS cont.

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHEADP15032	15 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP20032	20 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP21032	21 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP23032	23 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP25032	25 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP27032	27 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP28032	28 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP29032	29 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP30032	30 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP36032	36 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP41032	41 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP48032	48 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP49032	49 Outlet Primary head 32mm outlet. Powder coated	
ASHEADP12038	12 Outlet Primary head 38mm outlet. Powder coated	
ASHEADP20038	20 Outlet Primary head 38mm outlet. Powder coated	



49 Outlet Primary head Powder coated steel.



24 Outlet Primary head stainless steel.



24 Outlet Primary head stainless steel.

HEAVY DUTY RISERS



PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASRHD100	Riser Heavy Duty 100mm	
ASRHD125	Riser Heavy Duty 125mm	
ASRHD150	Riser Heavy Duty 150mm	
ASRHDRUBO	Heavy Duty riser rubber (Oval wear plate)	
ASRHDPLAZP	Heavy Duty riser plaztuf (Plastic insert wear plate)	



Heavy Duty Riser Rubber (Oval Wear Plate)

SPLITTERS

Available in stainless steel (extra) Splitter Mounting Bracket Sold Separately

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASS25X25	Splitter 25mm inlet 25mm outlets	
ASS32X25	Splitter 32mm inlet 25mm outlets	
ASS32X32	Splitter 32mm inlet 32mm outlets	
ASS38X32X32	Splitter 38mm outlet 32mm outlets	
ASS38X38X38	Splitter 38mm inlet 38mm outlets	
ASS63X45	Splitter 63mm inlet 45mm outlets	
ASS63X50	Splitter 63mm inlet 50mm outlets	
ASS63X63	Splitter 63mm inlet 63mm outlets	
ASS75X63	Splitter 75mm inlet 63mm outlets	
ASS100X75	Splitter 100mm inlet 75mm outlets	
ASS125X100	Splitter 125mm inlet 100mm outlets	
ASSMOUNTB	Splitter mounting bracket	



Splitter 63mm inlet 50mm outlets Stainless Steel



Splitter 75mm inlet 63mm outlets

QUICK COUPLERS



6 Way Quick Couple Connector



4" Quick Couple Connector

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASX2W2T3	2 way quick couple connector 2"-3"	
ASX4W2T3	4 way quick couple connector 2"-3"	
ASX4T8W2T3	4 to 8 quick couple connector 2"-3"	
ASX4T8W2T3SS	4 to 8 quick couple connector 2"-3" Stainless Steel	
AS4WT5	4 way quick couple to 5"	
ASX3QCC	3" quick couple connectors	
ASX4QCC	4" quick couple connectors	
ASX5QCC	5" quick couple connectors	
ASX6QCC	6" quick couple connectors	

RISERS & RISER BRACKETS


PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASR32X430	Riser small seed 32mm tube 430mm long	
ASR45X640	Riser 45mm tube 640mm long	
ASR50X680	Riser 50mm tube 680mm long	
ASR63X680	Riser 63mm tube 680mm long	
ASR75X800	Riser 75mm tube 800mm long	
ASRCLAMPS	Riser stand (including 2x clamps)	
ASRCLSEED	Riser stand small seed (including 2x clamps)	

Riser 50mm tube 680mm long

Riser Small Seed 32mm 430mm long

Available in stainless steel (extra) Mounting Bracket And Clamps Sold Separately

VENTURI



PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASV63	Venturi 63mm 2 1/2"	
ASV75	Venturi 75mm 3"	
ASV100	Venturi 100mm 4"	
ASV125	Venturi 125mm 5"	
ASV150	Venturi 150mm 6"	



Available in stainless steel (extra) Mounting Bracket And Clamps Sold Separately

SMALL SEED HEADS



PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHSS50X16	Head Small Seed 5 Outlet 16mm 5/8"	
ASHSS60X16	Head Small Seed 6 Outlet 16mm 5/8"	
ASHSS70X16	Head Small Seed 7 Outlet 16mm 5/8"	



5 Outlet small seed head Powder coated



6 Outlet small seed head Powder coated



3 Outlet Secondary head Powder coated Flat cap.



3 Outlet Secondary head Powder coated Coned cap.

Available in stainless steel (extra) Available with coned cap (extra)

3 OUTLET SECONDARY HEADS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS30X32	3 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS30X32	3 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS30X38	3 Outlet Secondary head 38mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS30X38	3 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS30X38	3 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS40X32	4 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS40X32	4 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS40X38	4 Outlet Secondary head 38mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS40X38	4 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS40X38	4 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	



4 Outlet Secondary head Powder coated Flat cap.



4 Outlet Secondary head Powder coated Coned cap.

5 Outlet Secondary head Powder coated Flat cap.



5 Outlet Secondary head Powder coated. Coned cap.

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS50X32	5 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS50X32	5 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS50X38	5 Outlet Secondary head 38mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS50X38	5 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS50X38	5 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS60X32	6 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS60X32	6 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS60X38	6 Outlet Secondary head 38mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS60X38	6 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS60X38	6 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	



6 Outlet Secondary head Powder coated Flat cap.



6 Outlet Secondary head Powder coated Coned cap.



7 Outlet Secondary head Powder coated Flat cap.



7 Outlet Secondary head Powder coated Coned cap.

Available in stainless steel (extra) Available with coned cap (extra)

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS70X32	7 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS70X32	7 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS70X38	7 Outlet Secondary head 38mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS70X38	7 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS70X38	7 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	

DESCRIPTION	RRP PER UNIT (EX. GST) AUD
8 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 38mm outlet 45mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
8 Outlet Secondary head 38mm outlet 63mm inlet. Powder coated steel. Flat cap.	
	 8 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap. 8 Outlet Secondary head 38mm outlet 63mm inlet. 9 Outlet Secondary head 38mm outlet 63mm inlet.



8 Outlet Secondary head Powder coated Flat cap.



8 Outlet Secondary head Powder coated Coned cap.



9 Outlet Secondary head Powder coated Flat cap.



9 Outlet Secondary head Powder coated Coned cap.

9 OUTLET SECONDARY HEADS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS90X32	9 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS90X32	9 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	





10 Outlet Secondary head Powder coated Flat cap.

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS100X32	10 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS100X32	10 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	



10 Outlet Secondary head Powder coated Coned cap.



11 Outlet Secondary head Powder coated Flat cap.



11 Outlet Secondary head Powder coated Coned cap.

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS110X32	11 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS110X32	11 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS120X32	12 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS120X32	12 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	



12 Outlet Secondary head Powder coated Flat cap.



12 Outlet Secondary head Powder coated Coned cap.

Available in stainless steel (extra) Available with coned cap (extra)



13 Outlet Secondary head Powder coated Flat cap.



13 Outlet Secondary head Powder coated Coned cap.

13 OUTLET SECONDARY HEADS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS130X32	13 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS130X32	13 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS140X32	14 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS140X32	14 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	



14 Outlet Secondary head Powder coated Flat cap.



14 Outlet Secondary head Powder coated Coned cap.



15 Outlet Secondary head Powder coated Flat cap.



15 Outlet Secondary head Powder coated Coned cap.

15 OUTLET SECONDARY HEADS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS150X32	15 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASH\$150X32	15 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS150X32	15 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS150X32	15 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASH\$150X32	15 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS150X32	15 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS150X32	15 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS150X32	15 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASHS160X32	16 Outlet Secondary head 25mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 25mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 25mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 25mm outlet 75mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 32mm outlet 45mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 32mm outlet 50mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 32mm outlet 63mm inlet. Powder coated steel. Flat cap.	
ASHS160X32	16 Outlet Secondary head 32mm outlet 75mm inlet. Powder coated steel. Flat cap.	



16 Outlet Secondary head Powder coated Flat cap.



16 Outlet Secondary head Powder coated Coned cap.



Pressure Relief Vent Single



Pressure Relief Vent Twin



Standard Seeding Boot Raw Steel Finish

Available in stainless steel (extra)

PRESSURE RELIEF VENTS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASPRVSINGLE	Pressure relief vent single kit	
ASPRVTWIN	Pressure relief vent twin kit	

SEEDING BOOTS

PART NUMBER	DESCRIPTION	RRP PER UNIT (EX. GST) AUD
ASSSEEDBOOT	"Standard seeding boot. Raw steel finish ."	
ASSDBAND	Standard D-Banding seeding boot twin pipe. Raw ste finish	

NOTES





170 GOLF COURSE RD, Horsham, Victoria, Australia

- **Ph:** +613 5382 5688
- E: info@smallaire.com.au air@smallaire.com.au jock.baker@smallaire.com.

www.smallaire.com.au

CONNECT WITH US

- /smallaire1974
- Smallaire
- Search 'Smallaire Pty Ltd'

C Office-Enquiries